



# **VOYAGER FIT**

A super-compact LED emergency luminaire

member of zumtobel group



# VOYAGER

Super compact, long-lasting,

Voyager Fit is a super compact and new LED emergency luminaire for installation in ceilings. The luminaire is just 51mm in diameter, requiring a ceiling hole of only 43 mm and has a void height of just 80 mm. Voyager Fit comes with three interchangeable lenses for antipanic, escape and spot lighting, which can be easily fitted.

The product features a lithium iron phosphate battery, which plugs in easily via Micro USB and comes with a three-year warranty. Voyager Fit's light output means units can be spaced wide apart, and its power consumption of solely 2.5W (5.5W in maintained mode) makes it highly energy-efficient.









# **Long-lasting**

Self-contained emergency luminaires rely on long-lasting batteries. Voyager Fit's high-tech lithium iron phosphate battery is robust and comes with a three-year warranty, giving users peace of mind.

## Super small

Working out where to install emergency luminaires in certain buildings can be a challenge. Voyager Fit is so small that it can be installed almost anywhere with very little impact on ceilings. And because it only requires an 80 mm ceiling void, even buildings with limited space can benefit from the latest in LED emergency lighting.

## Interchangeable lenses

Voyager Fit's interchangeable lenses make it easy to get the light distribution you need for your emergency lighting system. The lenses are easy to fit by simply clicking them into place.

# PRODUCT SPECIFICATION

Mounting **Monitoring** 

Supply version

**Autonomy** (self contained)

Degree of protection

Class of protection Ambient temperature Ceiling recessed

Manual test/Autotest/DALI

Self contained

3h

IP20 SC2

+5...+30°C



#### Design

Super small plug 'n' play LED emergency luminaire for unobtrusive ceiling installation.

Optimized lenses for different applications to achieve best in class spacings.

#### Installation

Tool less installation with mounting springs for ceiling thicknesses from 1-25 mm.

#### Standards









#### Light source information

3 MacAdam ellipse CRI > 80

Nominal life-time 50000 hours

#### Materials/Finish


Luminaire housing made of white polycarbonate, lenses made of transparent polycarbonate, red rubber strap for battery connection.

#### To specify state:


Self contained emergency luminaire for recessed mounting in ceilings with interchangeable lenses for most flexible optimized illumination for escape, antipanic and spot lighting. Only 80 mm ceiling voids necessary and small dimensions for unobtrusive installation. Manual, selftest or selftest/addressable - version capability.

As Thorn Voyager Fit.


#### Voyager Fit - THSFD36L70NR740G33\_DC



cd/klm ULOR: 0% DLOR: 100% LOR: 100%



#### Voyager Fit - 2W Spot



cd/klm ULOR: 0% DLOR: 100% LOR: 100%

### Voyager Fit - 2W Escape Route



cd/klm ULOR: 0% DLOR: 100% LOR: 100%

# HORN

WWW.THORNLIGHTING.COM/VOYF





#### **5 Year Warranty**

As a globally leading luminaire manufacturer, Thorn Lighting provides a five-year warranty for its complete product

THORNLIGHTING.COM/WARRANTY

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general  $% \left( 1\right) =\left( 1\right) \left( 1$ particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated.

Publication No: 96644283 (INT) Publication Date: 03/18

